POLYMER AUTHOR INDEX VOLUME 26 1985

Adar, Fran and Noether, Herman: Raman microprobe spectra of spin-oriented and drawn filaments of poly(ethylene terephthalate), 1935

Aglietto, M., Ranucci, E., Ruggeri, G. and Gianni, P.: Catalytic esterolysis of *p*-nitrophenyl esters by optically active polymeric oximes, 1191

Aglietto, M.: *see* Delfini, M., 1459

Ahmed, I.: *see* Salamone, J. C., 1234

Akhavan, J., Hendra, P. J. and Willis, H. A.: Structure and properties of linear polyethylene crystallized by rapid cooling of melts: 3. The effect of shear, 865

Al-Issa, Mahmoud A., Davis, Thomas P., Huglin, Malcolm B. and Yip, Daniel C. F.: Copolymerizations involving *N*-vinyl-2-pyrrolidone, 1869

Al-Kadhumi, Ahmed, A. H., Hodge, Philip and Thorpe, F. Gordon,: Preparation of substituted poly(vinylthiophene)s via lithiation of poly(vinylthiophene), 1695

Alberda van Ekenstein, G. O. R., Tan, Y. Y. and Challa, G.: Crystallization and melt behaviour of isotactic poly(2-vinylpyridine), 283

Albertsson, Ann Christine,: *see* Vogl, Otto, 1288

Aldissi, M. and Bishop, A. R.: Synthesis of highly conducting polystyrene–polyacetylene copolymers, 622

Aldissi, M., Schue, F., Liebich, H. and Geckeler, K.: G.c./m.s. investigations on living oligo(ethylene) species functionalized by oxygen, 1096

Algeria, A., Colmenero, J., de Val, J. J. and Barandiaran, J. M.: Dielectric properties of polyarylate (PAr) around the glass transition, 913

Alimoglu, A. K.: *see* Gemmell, P. A., 615

Allen, Sir Geoffrey,: Speciality polymers: Prospect–Retrospect, 1284

Altena, F. W., Smid, J., Van den Berg, J. W. A., Wijmans, J. G. and Smolders, C. A.: Diffusion of solvent from a cast cellulose acetate solution during the formation of skinned membranes, 1531

Ando, Isac; Sorita, Tetsushi; Yamanobe, Takeshi; Komoto; Tadashi; Sato, Hisaya; Deguchi, Kenzo and Imanari, Mamoru,; Chain conformation of polyethylene in the solid state as studied by ^{13}C cross-polarization/magic angle spinning nuclear magnetic resonance spectroscopy, 1864

Andreis, M., Veksli, Z. and Meic, Z.: Polyesterification and isomerization of maleic anhydride and 1,6-hexane diol as studied by ^{1}H and ^{13}C n.m.r., 1099

Andrew, E. R.: N.m.r. of solid biopolymers, 190

Argon, A. S.: *see* Gebizlioglu, O. S., 519

Argon, A. S.: *see* Gebizlioglu, O. S., 529

Argon, A. S.: *see* Schwier, C. E., 1985

Arichi, S., Sakamoto, N., Hhimuro, S., Miki, M. and Yoshida, M.: Unperturbed dimension of poly(4-acetoxystyrene) measured in good and theta solvents, 1175

Asahi, T.: *see* Miyashita, S., 1791

Asai, K.: *see* Miyashita, S., 1791

Ash, C. and Lewis, T. J.: Temperature effects on the birefringence of nitrocellulose and nitrocellulose/nitroglycerine mixtures, 643

Aubert, J. H. and Clough, R. L.: Low-density, microcellular polystyrene foams, 2047

Audebert, R.: *see* Capillon, J., 575

Avella, Maurizio,: *see* Martuscelli, Ezio, 259

Axelson, D. E.: *see* English, A. D., 1523

Babchinitser, T. M., Kararyan, L. G., Tartakovskaya, L. M., Vasilenko, N. G., Zhdanov, A. A. and Korshak, V. V.: Crystalline structure of poly(diaryl siloxanes), 1527

Babu, Gaddam N.: *see* Dahl, Pradeep K., 747

Bai, S. J.: Crosslink distribution of epoxy networks studied by small-angle neutron scattering, 1053

Baird, D. G.: *see* Joseph, Eugene, 689

Bajaj, P., Padmanaban, M. and Gandhi, R. P.: Configurational sequence lengths in polyacrylonitrile and poly(acrylonitrile-CO-haloalkyl acrylate–methacrylate)s determined by ^{13}C n.m.r., 391

Baker, F. S., Jones, M., Privett, G., Crofton, D. J. and Pethrick, R. A.: Dielectric studies of the effect of water on the relaxation properties of nitroglycerine-nitrocellulose mixtures, 1227

Bamford, C. H., Schofield, E. and Michael, D. J.: Non-classical free-radical polymerization: 5. The purification and polymerization of 1-vinyl-2-pyrrolidone, 945

Banerjee, Madhusudan,: *see* Biswas, Mukul, 625

Bao, Jingsheng, : *see* Ying, Qicong, 1401

Barandiaran, J. M.: *see* Alegria, A., 913

Barbucci, Rolande,: *see* Ferruti, Paolo, 1336

Barbucci, R., Casini, G., Ferruti, P. and Tempesti, F.: Surface-grafted heparinizable materials, 1349

Barbucci, R., Casolaro, M., Corezzi, S., Nocentini, M. and Ferruti, P.: New developments in macroinorganics — the thermodynamics of basic polymers, 1353

Bargeman, Dick,: *see* Gebben, Bert, 1737

Barlow, J. W.: *see* Woo, E. M., 763

Barrie, J. A., Sagoo, P. S. and Johncock, P.: The sorption and diffusion of water in halogen-containing epoxy resins, 1167

Bartczak, Z., Galeski, A., Martuscelli, E. and Janik, H.: Primary nucleation behaviour in isotactic polypropylene/ethylene–propylene random copolymer blends, 1843

Bassett, D. C. and Vaughan, A. S.: On the lamellar morphology of melt-crystallized isotactic polystyrene, 717

Bassett, D. C.: *see* Vaughan, A. S., 726

Bauminger, E. R., Nowik, I., Ofer, S. and Heitner-Wirguin, C.: Dynamics of hydrated iron(II) cations in nafion polymer membranes, 1829

Beevers, M. S.: *see* Mumby, S. J., 2014

Bell, J. P.: *see* Narkis, M., 50

Bellenger, V.: *see* Morel, E., 1719

Bengtson, B., Feger, C., MacKnight, W. J. and Schneider, N. S.: Thermal and mechanical properties of solution polymerized segmented polyurethanes with butadiene soft segments, 895

Benoit, H.: *see* Koberstein, Jeffrey T., 673

Berger, H.-R. and Straube, E.: Quasielastic scattering from dilute polymer solutions, 1212

Berry, J. O.: *see* Mohsin, M. A., 1463

Billingham, N. C.: *see* Knight, J. B., 1713

Birley, A. W.: *see* Yeh, Po-Len, 1155

Birshtein, T. M., Buldyrev, S. V. and Elyashevitch, A. M.: Monte–Carlo simulation of the collapse transition of a two-dimensional polymer, 1814

Bishop, A. R.: Synthesis of highly conducting polystyrene–polyacetylene copolymers, 622

Biswas, Mukul; Banerjee, Madhusudan and Maiti, Mrinal, M.: Polymerization of *N*-vinylcarbazole over cobalt(II) exchanged 13X molecular sieves, 625

Biswas, Mukul,: *see* Chatterjee, Shakuntala, 1365

Blackwell, John,: *see* Gutierrez, Genaro, A., 348

Blackwell, J.: *see* Chivers, R. A., 997

Bleha, T.: Macromolecular conformational volume and thermodynamics of crystal melting, 1638

Blundell, D. J. and Buckingham, K. A.: The β-loss process in liquid crystal polyesters containing 2,6-naphthyl groups, 1623

Boileau, Sylvie,: *see* Kassir, Fathi, 443

Boiteaux-Stefan, Gisele, Letoffe, Jean-Marie, Sage, Daniel and Soulie, Jean-Pierre,: Multiple transitions in polyallylbenzene: 1. Thermophysical properties, 1443

Boiteux-Steffan, Gisele, Letoffe, Jean-Marie, Vallet, Georges, Chatain, Daniel and Lacabanne, Colette,: Multiple transitions in polyallylbenzene: 2. Dielectric relaxations: relationship between structure and properties, 1448

Boivin, Sylviane,: *see* Kassir, Fathi, 443

Bolognesi, Alberto, Catellani, Marinella, Destri, Silvia and Porzio, William,: The effect of compaction pressure on the conductivity and structure in undoped poly(1,4-phenylene) (PPP), 1628

Bonart, R.: *see* Owen, A. J., 1034

Bonora, V.: *see* Pilati, F., 1745

Bootsma, J. P. C., Challa, G., Visser, A. J. W. G. and Muller, F.: Polymer-bound flavins: 5. Characterization by static and time-resolved fluorescence techniques, 951

Bower, D. I.: *see* Unwin, A. P., 1605

Bowmer, T. N. and Tonelli, A. E.: Thermal transitions of ethylene–vinyl copolymers, 1195

Boyd, Richard H.: Relaxation processes in crystalline polymers: experimental behaviour — a review, 323

Boyd, R. H.: Relaxation processes in crystalline polymers: molecular interpretation — a review, 1123

Brereton, M. G. and Filbrandt, M.: The contribution to rubber elasticity of topological entanglements, 1134

Briber, R. M. and Thomas, E. L.: Crystallization behaviour of random block copolymers of poly(butylene terephthalate) and poly(tetramethylene ether glycol), 8

Briber, Robert M.: *see* Wade Adams, W., 17

Brisse, F.: *see* Remillard, B., 1029

Brody, H.: *see* Yazdanian, M., 1779

Brown, D. J.: *see* Mitchell, G. R., 1755

Brown, H. R.: The interpretation of electron

microscope images and scattering patterns from crazes, 483
Brown, Wyn,: Diffusion of poly(ethylene oxide) in semidilute aqueous solution: Dynamic light scattering and gradient diffusion, 1647
Buckingham, K. A.: *see* Blundell, D. J., 1623
Bucknall, Clive B., Davies, Peter and Partridge, Ivana K.: Phase separation in styrenated polyester resin containing a poly(vinyl acetate) low-profile additive, 109
Budd, Peter M.: Sedimentation behaviour in dilute solutions of a polyelectrolyte, 1519
Buldyrev, S. V.: *see* Birshtein, T. M., 1814
Bunn, A.: *see* Cudby, M. E. A., 169
Bur, A. J.: Dielectric properties of polymers at microwave frequencies: a review, 963
Butta, E.: *see* Levita, G., 1110

Calvert, P. D.: *see* Knight, J. B., 1713
Camargo, R. E., Macosko, C. W., Tirrell, M. and Wellinghoff, S. T.: Phase separation studies in RIM polyurethanes catalyst and hard segment crystallinity effects, 1145
Cameron, G. Gordon and Chisholm, Michael, S.: Polymerization of poly(dimethylsiloxane) macromers: 1. Copolymerization with styrene, 437
Campana, Francesco,: *see* Paci, Maurizio, 1885
Capillon, J., Audebert, R. and Quivoron, C.: Can porosity properties of particles really be determined by inverse gel permeation chromatography?, 575
Carlfors, J. and Rymden, R.: Self diffusion of small molecules in aqueous solution of poly(vinylpyrrolidone), 940
Carlini, C.: *see* Delfini, M., 1459
Casini, G.: *see* Barbucci, R., 1349
Casolaro, M.: *see* Barbucci, R., 1353
Castiglioni, C.: *see* Ramana Rao, G., 811
Catellani, Marinella,: *see* Bolognesi, Alberto, 1628
Cavanagh, R. R.: *see* Wang, F. W., 1657
Ceccorulli, G.: *see* Scandola, M., 1953
Ceccorulli, G.: *see* Scandola, M., 1958
Cefelin, P.: *see* Janout, V., 781
Challa, G.: *see* Alberda van Ekenstein, G. O. R., 283
Challa, G.: *see* Bootsma, J. P. C., 951
Challa, G.: *see* Vorenkamp, E. J., 1725
Chan, David D.: *see* Sefcik, Michael D., 2043
Chang, V. S. C.: *see* Speckhard, T. A., 55
Chang, V. S. C.: *see* Speckhard, T. A., 70
Chatain, Daniel,: *see* Boiteux-Steffan, Gisele, 1448
Chatterjee, Shakuntala and Biswas, Mukul,: Comparative evaluation of thermal stabilities of novel sulphonic acid resins from anhydride modified polystyrene with commercial polystyrene based resins, Indion-225 and Zeocarb-225, 1365
Chau, K. W. and Geil, P. H.: Domain morphology in polyurethanes, 490
Chee, K. K.: Comparison of molecular weight distribution models for polymers characterized by g.p.c., 581
Chen, C. C., Shen, J. and Sauer, J. A.: Effects of sorbed water on properties of low and high molecular weight PMMA: 11. Fatigue performance, 89
Chen, C. C.: *see* Shen, J., 511
Chen, Guoquan and Lenz, Robert W.: Liquid crystal polymers: 21. Thermotropic properties and crystallization-induced reactions of aromatic copolyesters, 1307
Chen, Shian-Ing,: *see* Soga, Kazuo, 1888
Chen, Shian-ing,: *see* Soga, Kazuo, 1891
Cheradame, Herve,: *see* Kassir, Fathi, 443
Chiantore, O. and Hamielec, A. E.: Thermal polymerization of *p*-methyl styrene at high conversions and temperatures, 608
Chisholm, Michael S.: *see* Cameron, G. Gordon, 437
Chivers, Robin A.: *see* Gutierrez, Genaro A., 348
Chivers, R. A. and Blackwell, J.: Three-dimensional structure of copolymers of *p*-hydroxybenzoic acid and 2-hydroxy-6-naphthoic acid: A model for diffraction of a nematic structure, 997
Choy, C. L., Leung, W. P. and Ong, E. L.: Thermal expansivity of oriented nylon-6 and nylon-6,6, 884
Chu, Benjamin,: *see* Qing, Qicong, 1401
Chu, Benjamin,; Ying, Qicong,; Wu, Chi,; Ford, James R. and Dhadal, Harbans S., Dhadal,: Characterization of poly(1,4-phenyleneterephthalamide) in concentrated sulphuric acid. 2: Determination of molecular weight distributions, 1408
Chu, C. C.: Degradation phenomena of two linear aliphatic polyester fibres used in medicine and surgery, 591
Clark, A. H.: *see* McEvoy, H., 1483
Clark, A. H.: *see* McEvoy, H., 1493
Clarson, S. J.: *see* Granick, S., 925
Clarson, S. J., Dodgson, K. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes): 19. Glass transition temperatures and crystallization behaviour, 930
Clements, J., Davies, G. R. and Ward, I. M.: A broad line n.m.r. study of oriented poly(vinylidene fluoride), 208
Clough, R. L.: *see* Aubert, J. H., 2047
Cohen Addad, J. P.: N.m.r. and macromolecular migration in a melt or in concentrated solutions, 197
Cohen-Addad, J. P., Roby, C. and Sauviat, M.: Characterization of chain binding to filler in silicone–silica systems, 1231
Cohen, R. E.: *see* Gebizlioglu, O. S., 519
Cohen, R. E.: *see* Gebizlioglu, O. S., 529
Cohen, R. E.: *see* Schwier, C. E., 1985
Coleman, M. M.: *see* Moskala, E. J., 228
Coles, H. J.: *see* Hopweed, A. I., 1312
Coles, H. J.: *see* Sefton, M. S., 1319
Coles, H. J. and Simon, R.: High-resolution laser-addressed liquid crystal polymer storage displays, 1801
Colmenero, J.: *see* Alegria, A., 913
Comyn, J.: *see* Mallik, R. R., 551
Cooper, S. L.: *see* Speckhard, T. A., 55
Cooper, S. L.: *see* Speckhard, T. A., 70
Cooper, S. L.: *see* Yarusso, D. J., 371
Cooper, Stuart L.: *see* Miller, John A., 1915
Cooper, W. J., Krasicky, P. D. and Rodriguez, F.: Effects of molecular weight and plasticization on dissolution rates of thin polymer films, 1069
Corezzi, S.: *see* Barbucci, R., 1353
Cotgreave, T.: Milled fibre reinforced epoxy resin — an engineering polymer composite, 1419
Coulon, G.: *see* Lefebvre, J. M., 1807
Cowie, J. M. G. and McEwen, I. J.: Predicted miscibility of polystyrene and poly(α-methyl styrene) and comparison with experiment, 1662
Cowie, J. M. G. and Wadi, N. M. A.: Complexing of some transition metal ions with poly(heptyl itaconate) containing tetraethylene pentamine side chains, 1566
Cowie, J. M. G. and Wadi, N. M. A.: Polymer–metal complexes, based on poly(itaconic acid ester) derivatives, as catalysts for the decomposition of hydrogen peroxide, 1571
Crisci, L.: *see* Delfini, M., 1459
Crofton, D. J.: *see* Baker, F. S., 1227
Cudby, M. E. A., Harris, R. K., Metcalfe, K., Packer, K. J., Smith, P. W. R. and Bunn, A.: ^{13}C and ^{1}H n.m.r. studies of solid polyolefines, 169
Cunliffe, A. V., Davis, A., Farey, M. and Wright, J.: The kinetics of the reaction of isophorone di-isocyanate with monoalcohols, 301

Dagan, A.: *see* Siegmann, A., 1325
Dahl, Pradeep K. and Babu, Gaddam N.: Pyrolysis/gas chromatography/mass spectrometry of glycidyl methacrylate–alkyl acylate copolymers, 747
Daoust, D.: *see* Devaux, J., 1994
Davidson, N. S., Richards, R. W.and Geissler, E.: Scaling laws and polystyrene networks: a quasi-elastic light scattering study, 1643
Davies, G. R.: *see* Clements, J., 208
Davies, Peter,: *see* Bucknall, Clive B., 109
Davis, A.: *see* Cunliffe, A. V., 301
Davies, D. D.: *see* Lovinger, Andrew J., 1595
Davis, Thomas P.: *see* Al-Issa, Mahmoud A., 1869
Dayantis, J. and Sturm, J.: Monte–Carlo calculations on statistical chains enclosed inside a sphere, 1631
De Rosa, Claudio, Napolitano, Roberto and Pirozzi, Beniamino,: Conformational and packing energy calculations on two crystalline modifications of poly(*trans*-1,4-butadiene), 2039
De Saja, J. A.: *see* Merino, J. C., 383
de Val, J. J.: *see* Alegria, A., 913
Deb, P. C. and Meyerhoff, G.: Study on kinetics of copolymerization of styrene and meleic anhydride in methyl ethyl ketone, 629
Deguchi, Kenzo,: *see* Ando, Isao, 1864
Delfini, M., Di Cocco, M. E., Paci, M., Anglietto, M., Carlini, C., Crisci, L. and Ruggeri, G.: ^{13}C n.m.r. study of poly[(S)-5-methyl-1-heptene] and poly(1-heptene) prepared by Ziegler–Natta catalyst, 1459
Delimoy, D.: *see* Devaux, J., 1994
Destri, Silvia,: *see* Bolognesi, Alberto, 1628
Devadoss, E. and Reghunadhan Nair, C. P.: A novel cyclomatrix polymer based on (hydroxyphenoxy) phosphazenes and 2-methyl aziridine: some aspects of synthesis and adhesive heat resistance, 1895
Devaux, J., Delimoy, D., Daoust, D., Legras, R., Mercier, J. P., Strazielle, C. and Nield, E.: On the molecular weight determination of a poly(aryl-ether-ether-ketone) (PEEK), 1994
Dhadal, Harbans S.: *see* Chu, Benjamin, 1408
Di Cocco, M. E.: *see* Delfini, M., 1459
Diaz-Calleja, Ricardo,: Ribes-Greus, Amparo, 1849
Dinger, Frank,: *see* Hauptmann, Peter, 1741
Dodgson, K.: *see* Clarson, S. J., 930
Doi, Yoshiharu,: *see* Soga, Kazuo, 1888
Doi, Yoshiharu,: *see* Soga, Kazuo, 1891
Donald, A. M.: *see* Evans, K. E., 101
Donald, A. M.: *see* Viney, C., 870
Dondos, Anastasios,: *see* Staikos, George, 293
Dondos, Anastasios,: *see* Tsitsilianis, Constantinos, 1838
Donovan, J. A.: *see* Prabhat, K., 1963
Dorozhkin, V. P.: Investigation of nonuniformities of chemical and topological structure of space networks of synthetic

rubbers using statistical analysis of tensile strength distribution curves, 918
Doskocilova, D.: *see* Schneider, B., 253
Draganova, M.: *see* Pavlova, M., 1901
Drusco, Giovanni Di: *see* Martuscelli, Ezio, 259
Durning, Christopher J. and Russel, William B.: A mathematical model for diffusion with induced crystallization: 1., 119
Durning, Christopher J. and Russel, William B.: A mathematical model for diffusion with induced crystallization: 2., 131
Duval, Michel, Francois, Jeanne and Sarazin, Dominique,: Dynamical studies on low molecular weight polyacrylamide aqueous solution, 397
Duval, M.: *see* Kanda, A., 406
Dybal, J.: *see* Schneider, B., 253

Ebert, K. H.: *see* Mutschler, H., 935
Eby, R. K.: *see* Farmer, B. L., 1944
Edwards, S. F.: Dynamics of polymers in solution and melts, 163
Elman, J. F.: *see* Gerenser, L. J., 1162
Elyashevitch, A. M.: *see* Birshtein, T. M., 1814
Engeln, I., Meissner, M., Pape, H. E.: Thermal expansion and Gruneisen parameter of polyethylene between 5 and 320 K, 364
English, A. D., Smith, P. and Axelson, D. E.: Polyethylene/deutero-polyethylene phase behaviour, 1523
Epperson, Ernest,: *see* Miller, John A., 1915
Ericksen, R. H.: Creep of aromatic polyamide fibres, 733
Escaig, B.: *see* Lefebvre, 1807
Evans, K. E. and Donald, A. M.: Concentration dependence of the primitive path step length, 101

Fahner, E.: *see* Mutschler, H., 935
Faivre, J. P., Jasse, B. and Monnerie, L.: Orientation and relaxation in uniaxially stretched poly(vinyl methyl ether)-atactic polystyrene blends, 879
Fanconi, B., McCrackin, F., Sarazin, D.: Infra-red bandshapes of methylene-d_2 bending vibrations in n-hexatriacontane-n-hexatriacontane-d 74, 219
Farey, M.: *see* Cunliffe, A. V., 301
Farmer, B. L. and Eby, R. K.: Energy calculations for the crystal structure of the high temperature phases (I and IV) of poly(tetrafluoroethylene), 1994
Fawcett, A. H.: *see* Wah Chau, C., 1268
Fawcett, Allan H., Guthrie, John, Lo, Kwong-Wing and Pyszora, H.: A ^{13}C n.m.r. study of the sulphonation of novalacs, 1369
Feger, C.: *see* Fu, B., 889
Feger, C.: *see* Bengtson, B., 895
Ferruti, Paolo; Marchisio, Mario Antonietta and Barbucci, Rolande,: Synthesis, physico-chemical properties and biochemical applications of poly(amidoamine)s, 1336
Ferruti, P.: *see* Barbucci, R., 1349
Ferruti, P.: *see* Barbucci, R., 1353
Festl, H. G.: *see* Schriever, R., 1423
Filbrandt, M.: *see* Brereton, M. G., 1134
Fleischer, G.: The effect of polydispersity on measuring polymer self-diffusion with the n.m.r. pulsed field gradient technique, 1677
Fleischer, G. and Straube, E.: Pulsed field gradient n.m.r. measurements and theoretical interpretation of the self-diffusion of polystyrene in solution, 241
Ford, James R.: *see* Chu, Benjamin, 1408
Formoy, T. R.: *see* Granick, S., 925
Fornes, R. E.: *see* Venkatesh, G. M., 45
Fraga, Alicia N. and Willimas, Roberto J. J.: Thermal properties of gelatin films, 113
Francois, Jeanne,: *see* Duval, Michel, 397
Francois, J.: *see* Kanda, A., 406
Franke, H.: *see* Schriever, R., 1423
Froelich, D.: *see* Muller, R., 1477
Fu, B., Feger, C., MacKnight, W. J. and Schneider, N. S.: Synthesis and properties of monodisperse hydroxy-terminated oligomers or 1,4-butanediol and 2,4-toluene diisocyanate, 889

Gabrys, Barbara, Higgins, Julia S. and Young, David A.: Rotation of methyl groups in molecular solids and polymers at low temperatures: recent developments, 355
Galeski, A.: *see* Bartczak, Z., 1843
Galli, Paolo,: *see* Martuscelli, Ezio, 259
Gandhi, K. S. and Mall, S.: Effects of unequal reactivity of functional groups on gelation phenomena in polyurethane systems, 595
Gandhi, R. P.: *see* Bajaj, P., 391
Ganster, Johannes and Geiss, Detlev,: Polarization and piezoelectric coefficients of poly(vinylidene fluoride) form-I-films: A model including crystalline orientation, 1825
Garcia-Rubio, L. H., Lord, M. G., MacGregor, J. F. and Hamielec, A. E.: Bulk copolymerization of styrene and acrylonitrile: Experimental kinetics and mathematical modelling, 2001
Gattiglia, E.: *see* Pedemonte, E., 1202
Gebben, Bert, van den Berg, Hans W. A., Bargeman, Dick and Smolders, Cees A.: Intramolecular crosslinking of poly(vinyl alcohol), 1737
Gebizlioglu, O. S., Argon, A. S. and Cohen, R. E.: Toughness of two pure block copolymer blends in high molecular weight polystyrene, 519
Gebizlioglu, O. S., Argon, A. S. and Cohen, R. E.: Craze plasticity and toughness of particulate block copolymer blends, 529
Geckeler, K.: *see* Aldissi, M., 1096
Gedde, U. W. and Jansson, J.-F.: Molecular fractionation in melt-crystallized polyethylene. 4. Fracture, 1469
Geil, P. H.: *see* Chau, K. W., 490
Geiss, Detlev,: *see* Ganster, Johannes, 1825
Geissler, E.: *see* Davidson, N. S., 1643
Gemmell, P. A., Gray, G. W., Lacey, D., Alimoglu, A. K. and Ledwith, A.: Polymers with rigid anisotropic side groups: 2. Synthesis and properties of some side chain acrylate and methacrylate liquid crystal polymers containing the 4'-alkylbiphenyl-4-yl moiety, 615
George, Anne, Radhakrishan, Ganga and Joseph, K. Thomas: Grafting of butyl acrylate onto gelatin in a water–isopropanol medium, 2064
Grenser, L. J., Elman, J. F., Mason, M. G. and Pochan, J. M.: E.s.c.a. studies of corona-discharge-treated polyethylene surfaces by use of gas-phase derivation, 1162
Gevert, T. U. and Svanson, S. E.: An n.m.r. and d.s.c. investigation of the solubility conditions of didecylphenylphosphite in rigid poly(vinyl chloride), 307
Gianni, P.: *see* Aglietto, M., 1191
Gibson, P. E.: *see* Speckhard, T. A., 55
Gilbert, R. D.: *see* Venkatesh, G. M., 45
Gillette, P. C., Lando, J. B. and Koenig, J. L.: Infra-red spectroscopic characterization of the α–β phase transition in poly(tetramethylene terephthalate), 235
Giorgio, S. and Kern, R.: Structure and crystal growth approach to poly(alkylacrylate) myelinic vesicles by electron microscopy, 837
Gogolewski, S. and Peenings, A. J.: High-modulus fibres of nylon-6 prepared by a dry-spinning method, 1394
Gomez-Ribelles, Jose L.: Ribes-Greus, Amparo, 1849
Granick, S., Clarson, S. J., Formoy, T. R. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes): 18. Surface pressures of the monolayers in the plateau region, 925
Gray, Derek G.: *see* Laivins, Gunar V., 1435
Gray, G. W.: *see* Gemmell, P. A., 615
Grebowicz, Janusz; Suzuki, Hidematsu and Wunderlich, Bernhard,: Heat capacities of polyethylene and linear aliphatic polyoxides, 561
Grimm, H. J. and Thomas, E. L.: Chlorination of irradiated polyethylene single crystals: 1. Analysis of alkyl radical decay kinetics, 27
Grimm, H. J. and Thomas, E. L.: Chlorination of irradiated polyethylene single crystals: 2. XES and e.s.c.a. analysis of irradiated-chlorinated PE, 38
Gussoni, M.: *see* Ramana Rao, G., 811
Guthrie, John,: *see* Fawcett, Allan H., 1369
Gutierrez, Genaro A., Blackwell, John and Chivers, Robin A.: The structure of liquid crystalline copolyesters prepared from 4-hydroxybenzoic acid, 2,6-dihydroxy naphthalene, and terephthalic acid: 2. Atomic models for the copolymer chains, 348
Guzman, G. Martin,: *see* Vilanova, P. Colomer, 423

Hadjichristidis, N. and Roovers, J.: Linear viscoelastic properties of mixtures of 3- and 4-arm polybutadiene stars, 1087
Hagiwara, Miyuki,: *see* Sasuga, Tsuneo, 501
Hagiwara, M.: *see* Sasuga, T., 1039
Hahn, Bernd R. and Wendroff, Joachim H.: Piezo- and pyroelectricity in polymer blends of poly(vinylidene-fluoride)/poly(methyl methacrylate), 1611
Hahn, Bernd R. and Wendorff, Joachim H.: Compensation method for zero birefringence in oriented polymers, 1619
Halary, J. L.: *see* Leonard, C., 1507
Hamielec, A. E.: *see* Chiantore, O., 608
Hamielec, A. E.: *see* Mutschler, H., 935
Hamielec, A. E.: *see* Garcia-Rubio, L. H., 2001
Happe, J. A., Morgan, R. J. and Walkup, C. M.: ^{1}H, ^{19}F and ^{11}B nuclear magnetic resonance characterization of BF_3: amine catalysts used in the cure of C fibre-epoxy prepregs, 827
Harburn, G., Lewis, J. W. and Warwicker, J. O.: An investigation into the structure of poly(ethylene terephthalate) fibres by the use of optical transforms, 469
Harouz, Jaroslav,: *see* Ilavsky, Michal, 1514
Harris, R. K.: *see* Cudby, M. E. A., 169
Harrison, Ian R.: Modelling 'melting' in macromolecules, 3
Hastings, G. W.: Structural considerations and new polymers for biomedical applications, 1331
Hauptmann, Peter, Dinger, Frank and Sauberlich, Ralph,: A sensitive method for

polymerization control based on ultrasonic measurements, 1741
Havlicek, Ivan,: see Ilavsky, Michal, 1514
Hay, J. N.: see Mills, P. J., 901
Hay, J. N.: see Kemmish, D. J., 905
Hayakawa, N.: see Sasuga, T., 1039
Heitner-Wirguin, C.: see Bauminger, E. R., 1829
Henderson, Clayton P. and Willimas, Michael C.: Asymmetric composition profiles in block copolymer interphases: 1. Experimental evidence, 2021
Henderson, Clayton P. and Williams, Michael C.: Asymmetric composition profiles in block copolymer interphases: 2. Thermodynamic model predictions and implications, 2026
Hendra, P. J., Taylor, M. A. and Willis, H. A.: Plastic deformation in linear polyethylene, 1501
Hendra, P. J.: see Akhavan, J., 865
Hemsley, D. A.: see Yeh, Po-Len, 1155
Henne, A.: see Sumiyoshi, T., 141
Hhimuro, S.: see Arichi, S., 1175
Higashimura, Toshinobu,: see Masuda, Toshio, 793
Higgins, Julia S.: see Gabrys, Barbara, 355
Higgins, J. S.: see Tomlins, P. E., 1554
Higgins, J. S.: see Hill, R. G., 1708
Higuchi, A. and Iijima, T.: D.s.c. investigation of the states of water in poly(vinyl alcohol) membranes, 1207
Higuchi, Akon and Iijima, Toshiro,: D.s.c. investigation of the states of water in poly(vinyl alcohol-co-itaconic acid) membranes, 1833
Hill, R. G., Tomlins, P. E. and Higgins, J. S.: A preliminary study of the dynamics of phase separation in oligomeric polystyrene–polybutadiene blends, 1708
Hodge, Philip,: see Al-Kadhumi, Ahmed A. H., 1695
Hodge, P., Hunt, B. J. and Shakhshier, I. H.: Preparation of crosslinked polymers using acenaphthylene and the chemical modification of these polymers, 1701
Hoffman, J. D.: The kinetic substrate length in nucleation-controlled crystallization in polyethylene fractions, 803
Hoffman, J. D.: Theory of the substrate length in polymer crystallization: Surface roughening as an inhibitor for substrate completion, 1763
Hopweed, A. I. and Coles, H. J.: Liquid crystalline polymers as additives to enhance the device properties of low molecular mass liquid crystals, 1312
Horley, C. C.: see Mallik, R. R., 551
Hout, R. v. d.: see Northolt, M. G., 310
Howell, Barbara F., McCrackin, Frank L. and Wang, Francis W.: Fluorescence measurements of the diffusion coefficient for butylated hydroxyanisole in low density polyethylene, 433
Howard, P. and Malook, S. U.: Kinetics of acid catalysed degradation of cellulose triacetate in chloroalkane solvents: 1. Dichloromethane, 297
Hsu, T. J.: see Huang, Y.-J., 1247
Huang, Xiuyun,: see Jiang, Ming, 1689
Huang, Y.-J., Hsu, T. J. and Lee, L. J.: Effect of compound composition on fast reactions of polyurethane and unsaturated polyester in the bulk state, 1247
Hudec, P.: see Kucera, M., 1733
Huglin, Malcolm B.: see Al-Issa, Mahmoud A., 1869
Huhn, K.: see Wu, W., 655
Hunt, B. J.: see Hodge, P., 1701
Hwang, K. K. S.: see Speckhard, T. A., 70
Iesako, Hiroshi,: see Ochi, Mitsukazu, 457
Iijima, T.: see Higuchi, A., 1207
Iijima, Toshiro: see Higuchi, Akon, 1833
Ilavsky, Michal, Hrouz, Jaroslav and Havlicek, Ivan,: Phase transition in swollen gels: 7. Effect of charge concentration on temperature collapse of poly(*N*,*N*-diethylacrylamide) networks in water, 1514
Imai, Kiyokazu,: see Shiomi, Tomoo, 429
Imanishi, Yukio,: see Mori, Akihisa, 774
Imanari, Mamoru,: see Ando, Isao, 1864
Ito, K.: Radical polymerization initiated by primary radicals with similar structure to the end radical on the polymer, 1253

Jager, H.: see Vorenkamp, E. J., 1725
Jagur-Grodzinski, Joseph,: see Yie-Shun, Chiu, 786
Janik, H.: see Bartczak, Z., 1843
Jansson, J.-F.: see Gedde, U. W., 1469
Janout, V. and Cefelin, P.: Debromination of di- and tetrabrominated compounds by crosslinked poly(1-[*p*-(mercaptomethyl)phenyl]ethylene), 781
Janovic, Zvonimir,: see Vogl, Otto, 1288
Jasse, B.: see Faivre, J. P., 879
Jenkins, D. K.: Butadiene polymerization with a rare earth compound using a magnesium alkyl cocatalyst: 1., 147
Jenkins, D. K.: Butadiene polymerization with a rare earth compound using a magnesium alkyl cocatalyst: 2., 152
Jiang, C.-Y.: see Mark, J. E., 2069
Jiang, Ming, Huang, Xiuyan and Yu, Tongyin,: Phase separation in polymer blends comprising copolymers: 4. Polycarbonate/polystyrene ABCP system, 1689
Jin, Jung-Il,: see Park, Ho-Jin, 1301
Johncock, P.: see Barrie, J. A., 1167
Jones, D. P., Leach, D. C. and Moore, D. R.: Mechanical properties of poly(ether-ether-ketone) for engineering applications, 1385
Joseph, Eugene; Wilkes, Garth L. and Baird, D. G.: Effect of thermal history on the morphology of thermotropic liquid crystalline copolyesters based on PET and PHB, 689
Jones, M.: see Baker, F. S., 1227
Joseph, K. Thomas,: see George, Anne, 2064
Jullien, Henri and Valot, Henri,: Polyurethane curing by a pulsed microwave field, 506
Jurkiewicz, A., Tritt-Goc, J., Pislewski, N. and Kunert, K. A.: N.m.r. study of molecular dynamics in chemically crosslinked polyethylene, 557

Kajiyama, T.: see Takahara, A., 978
Kajiyama, T.: see Takahara, A., 987
Kampouris, E. M. and Papaspyrides, C. D.: Solid-state polyamidation of nylon salts: possible mechanism for the transition solid–melt, 413
Kanda, A., Duval, M., Sarazin, D. and Francois, J.: Theta point of polyacrylamide in aqueous solution and temperature dependence of the molecular dimensions, 406
Kant, J.: see Wijmans, J. G., 1539
Kararyan, L. G.: see Babchinitser, T. M., 1527
Karasz, F. E.: see Schroeder, J. A., 1795
Kasakawa, Mitsugu; Tusjita, Yoshiharu and Takizawa, Akira,: Optical rotatory dispersion and circular dichroism studies of copolyaspartates with long alkyl side chain, 848
Kassir, Fathi; Boivin, Sylviane; Boileau, Sylvie; Cheradame, Herve; Wooden, Gary P. and Olofson, R. A.: Poly(vinyl chloroformate) and its derivatives: 5. New poly(vinyl carbamates) and poly(vinyl thiocarbonates), 443
Katovic, Z.: see Topic, M., 1141
Kawaguchi, H., Loeffler, P. and Vogl, O.: Head-to-head polymers: 33. Bromination of *cis*-1,4-polybutadiene to head-to-head poly(vinyl bromide), 1257
Keller, A.: see Norton, D. R., 704
Keller, A.: see Vaughan, A. S., 726
Keller, A.: see Odell, J. A., 1219
Kemmish, D. J. and Hay, J. N.: The effect of physical ageing on the properties of amorphous PEEK, 905
Kenig, S.: see Siegmann, A., 1325
Kennedy, J. P.: see Speckhard, T. A., 55
Kennedy, J. P.: see Speckhard, T. A., 70
Kern, R.: see Giorgio, S., 837
King, T. A.: see Nash, P. J., 1003
Kirschbaum, Rob,: see Lemstra, Piet J., 1372
Knight, J. B., Calvert, P. D. and Billingham, N. C.: Localization of oxidation in polypropylene, 1713
Koberstein, Jeffrey T., Picot, Claude and Benoit, H.: Light and neutron scattering studies of excess low-angle scattering in moderately concentrated polystyrene solutions, 673
Koenig, J. L.: see Gillette, P. C., 235
Kojima, M. and Magill, J. H.: Spherulitic crystallization in poly(bis(trifluoro-ethoxy phosphazene), PBFP, 1971
Kolarz, B. N.: see Sanetra, R., 1181
Komoto, Tadashi,: see Ando, Isao, 1864
Konaka, T.: see Nakagawa, K., 84
Konaka, T., Nakagawa, K. and Yamakawa, S.: Mechanical and physical properties of ultra-oriented polyoxymethylene produced by microwave heating drawing, 462
Korshak, V. V.: see Babchinitser, T. M., 1527
Krasicky, P. D.: see Cooper, W. J., 1069
Kratzig, E.: see Schriever, R., 1423
Kryszewski, M.: see Trznadel, M., 1019
Kucera, M., Salajka, Z. and Majerova, K.: Reactions of macroions leading to graft copolymers: crosslinking and grafting of PVC by carbanions, 1575
Kucera, M., Salajka, Z., Hudec, P.: Reactions of macroions leading to block and/or graft copolymers: Macroion transformation: anion → cation and cation → anion, 1733
Kunert, K. A.: see Jurkiewicz, A., 557

Lacabanne, Colette,: see Boiteux-Steffan, Gisele, 1448
Lacey, D.: see Gemmell, P. A., 615
Laivins, Gunar V. and Gray, Derek G.: Optical properties of (acetoxypropyl) cellulose mesophases: factors influencing the cholesteric pitch, 1435
Lambert, F. and Rinaudo, M.: On the thermal stability of xanthan gum, 1549
Lando, J. B.: see Gillette, P. C., 235
Laupretre, F.: see Tekely, P., 1081
Lawton, J. B.: see Sardharwalla, I., 751
Lazare, Sylvain,: see Srinivasan, R., 1297
Leach, D. C.: see Jones, D. P., 1385
Lechtken, P.: see Sumiyoshi, T., 141
Ledwith, A.: see Gemmell, P. A., 615
Lee, L. J.: see Huang, Y.-J., 1247
Lefebvre, J. M., Escaig, B., Coulon, G. and Picot, C.: Molecular scale deformation in the yielding behaviour of glassy polymers, 1807
Legrand, J. F., Schuele, P. J., Schmidt, V. H. and Minier, M.: N.m.r. study of the ferro-

electric phase transition in a 70/30 mole% copolymer of vinylidene fluoride (VF_2) and trifluoroethylene (TrFE), 1683
Legras, R.: *see* Devaux, J., 1994
Lemstra, Piet J. and Kirschbaum, Rob,: Speciality products based on commodity polymers, 1372
Lenz, Robert W.: *see* Park, Ho-Jin, 1301
Lenz, Robert, W.: *see* Chen, Guoquan, 1307
Leonard, C., Halary, J. L. and Monnerie, L.: Hydrogen bonding in PMMA-fluorinated polymer blends: *FT*i.r. investigations using ester model molecules, 1507
Letoffe, Jean-Marie,: *see* Boiteux-Steffan, Gisele, 1443
Leung, W. P.: *see* Choy, C. L., 884
Leva, M.: *see* Pedemonte, E., 1202
Levita, G., Marchetti, A. and Butta, E.: Influence of the temperature of cure on the mechanical properties of ATBN/epoxy blends, 1110
Lewis, J. W.: *see* Harburn, G., 469
Lewis, T. J.: *see* Ash, C., 643
Liebich, H.: *see* Aldissi, M., 1096
Lin, K. C.: *see* Salamone, J. C., 1234
Liu, S.: *see* Sun, S. F., 1172
Lo, Kwong-Wing,: *see* Fawcett, Allan H., 1369
Loeffler, P.: *see* Kawaguchi, H., 1257
Lord, M. G.: *see* Garcia-Rubio, L. H., 2001
Loufakis, Kyriakos and Wunderlich, Bernhard,: Heat capacities of polyethylene and linear fluoropolymers, 1875
Lovinger, Andrew J., Davis, D. D. and Padden, Jr, F. J.: Kinetic analysis of the crystallization of poly(*p*-phenylene sulphide), 1595
Lowry, R. E.: *see* Wang, F. W., 1046
Lowry, R. E.: *see* Wang, Francis W., 1654
Lowry, R. E.: *see* Wang, F. W., 1657
Lundberg, R. D.: *see* Peiffer, D. G., 1058
Luxton, A. R.: *see* Milner, R., 1265

MacCrackin, Franck L.: *see* Howell, Barbara F., 433
MacGregor, J. F.: *see* Garcia-Rubio, L. H., 2001
MacKnight, W. J.: *see* Fu, B., 889
MacKnight, W. J.: *see* Bengtson, B., 895
MacKnight, W. J.: *see* Takahara, A., 978
MacKnight, W. J.: *see* Takahara, A., 987
MacKnight, W. J.: *see* Schroeder, J. A., 1795
Macosko, C. W.: *see* Camargo, R. E., 1145
Maeda, Y. and Paul, D. R.: Selective gas transport in miscible PPO-PS blends, 2055
Magill, J. H.: *see* Kojima, M., 1971
Maiti, Mrinal M.: *see* Biswas, Mukul, 625
Majerova, K.: *see* Kucera, M., 1575
Mall, S.: *see* Gandhi, K. S., 595
Mallik, R. R., Pritchard, P. G., Horley, C. C. and Comyn, J.: An inelastic electron tunnelling spectroscopy (IETS) study of poly(vinylacetate), poly(methyl methacrylate) and poly(vinylalcohol) absorbed on aluminium oxide, 551
Malook, S. U.: *see* Howard, P., 297
Manaresi, P.: *see* Pilati, F., 1745
Marchetti, A.: *see* Levita, G., 1110
Marchisio, Mario Antonietta,: *see* Ferruti, Paolo, 1336
Mark, J. E., Ning, Y.-P., Jiang, C.-Y., Tang, M.-Y. and Roth, W. C.: Electron microscopy of elastomers containing *in-situ* precipitated silica, 2069
Marom, G.: *see* Shiedlin, A., 447
Martin, P. G.: *see* Stupp, S. I., 682
Martuscelli, Ezio,; Avella, Mauizio,; Segre, Anna Laura,; Rossi, Enrico,; Drusco, Giovanni Di, Galli, Paolo,; Simonazzi, Tonino,: Stereochemical composition–properties relationships in isotactic polypropylenes obtained with different catalyst systems, 259
Martuscelli, E., Riva, F., Sellitti, C. and Silvestre, C.: Crystallization, morphology, structure and thermal behaviour of nylon-6/rubber blends, 270
Martuscelli, E.: *see* Ramana Rao, G., 811
Martuscelli, E.: *see* Bartczak, Z., 1843
Mason, M. G.: *see* Gerenser, L. J., 1162
Matsuda, Toshio; Okano, Yoshimichi; Tamura, Kazutaka and Higashimura,: Polymerization of 1-butyne and isopropylacetylene by transition metal catalysts and geometric structure of polymers, 793
Matheson, Robert R. and Smith, Paul,: A simple thermodynamic analysis of solid–solution formation in binary systems of homologous extended-chain alkanes, 288
Mazur, J.: *see* Reneker, D. H., 821
McConnell, James,: Theory of nuclear magnetic relaxation, 193
McCrackin, F.: *see* Fanconi, B., 219
McEvoy, H., Ross-Murphy, S. B. and Clark, A. H.: Large deformation and ultimate properties of biopolymer gels: 1. Single biopolymer component systems, 1483
McEvoy, H., Ross-Murphy, S. B. and Clark, A. H.: Large deformation and ultimate properties of biopolymer gels: 2. Mixed gel systems, 1493
McEwen, I. J.: *see* Cowie, J. M. G., 1662
McKenna, Gregory B. and Zapas, Louis J.: The time dependent strain potential function for a polymeric glass, 543
McKenna, G B., Ngai, K. L. and Plazek, D. J.: Differences in the molecular weight and the temperature dependences of self-diffusion and zero shear viscosity in linear polyethylene and hydrogenated polybutadiene, 1651
Meic, Z.: *see* Andreis, M., 1099
Meijer, J. G.: *see* Vorenkamp, E. J., 1725
Meissner, M.: *see* Engeln, I., 364
Mercier, J. P.: *see* Devaux, J., 1994
Merino, J. C., Pastor, J. M. and De Saja, J. A.: Variable temperature and stretching cell for Raman spectroscopy studies of polymers, 383
Metcalfe, K.: *see* Cubdby, M. E. A., 169
Meyerhoff, G.: *see* Deb, P. C., 629
Michael, D. J.: *see* Bamford, C. H., 945
Miki, M.: *see* Arichi, S., 1175
Miles, M. J.: *see* Odell, J. A., 1219
Miller, John A., Pruckmayr, Gerfried, Epperson, Ernest and Cooper, Stuart L.: The thermal response of the polyether soft segment chain conformation in a polyurethane block copolymer measured by small-angle neutron scattering, 1915
Mills, P. J. and Hay, J. N.: Post-yield behaviour of low density polyethylenes: 2. Plastic fracture, 901
Milner, R., Young, R. N. and Luxton, A. R.: Anionic telomerization of butadiene with toluene and diphenylmethane: microstructure and molecular weight, 1265
Minier, M.: *see* Legrand, J. F., 1683
Mitchell, G. R., Brown, D. J. and Windle, A. H.: The interpretation of orientation–strain relationships in rubbers and thermoplastics, 1755
Miyaji, H.: *see* Miyashita, S., 1791
Miyashita, S., Asahi, T., Miyaji, H. and Asai, K.: A single crystal of polyethylene crystallized under high pressure, 1791
Mizuno, T., Nakamura, K., Murayama, N. and Okuda, K.: Doubly oriented β-form films of poly(vinylidene fluoride), 853
Mohsin, M. A., Berry, J. P. and Treloar, L. R. G.: Dynamic–mechanical properties of polybutadiene rubbers, 1463
Monnerie, L.: *see* Faivre, J. P., 879
Monnerie, L.: *see* Tekely, P., 1081
Monnerie, L.: *see* Leonard, C., 1507
Moore, D. R.: *see* Jones, D. P., 1385
Morel, E., Bellenger, V. and Verdu, J.: Structure–water absorption relationships for amine-cured epoxy resins, 1719
Morgan, R. J.: *see* Happe, J. A., 827
Mori, Akihisa and Imanishi, Yukio,: Selective permeation across a blend film of cellulose acetate and polymers or copolymers of c-(N^{ε}-AcrLys–Sar), 774
Moskala, E. J., Varnell, D. F. and Coleman, M. M.: Concerning the miscibility of poly(vinyl phenol) blends — *FT*i.r. study, 228
Msrin, J.: *see* Olcak, D., 1455
Mulder, M. H. V.: *see* Wijmans, J. G., 1539
Mulemwa, J. N.: *see* Wah Chau, C., 1268
Muller, F.: *see* Bootsma, J. P. C., 951
Muller, R. and Froelich, D.: New extensional rheometer for elongational viscosity and flow birefringence measurements: some results on polystyrene melts, 1477
Mumby, S. J. and Beevers, M. S.: Dielectric and ^{13}C n.m.r. studies of various stereostructural forms of poly(*N*-vinyl carbazole), 2014
Munari, A.: *see* Pilati, F., 1745
Murakami, Kenkichi,: *see* Suzuki, Akihiro, 97
Murakami, Kenkichi,: *see* Suzuki, Akihiro, 247
Murayama, N.: *see* Mizuno, T., 853
Mutschler, H., Schroder, U., Fahner, E., Ebert, K. H. and Hamielec, A. E.: Free radical polymerization of *p*-methyl styrene, 935

Nakagawa, K., Konaka, T. and Yamakawa, S.: Production of ultrahigh modulus polyoxymethylene by drawing under dielectric heating, 84
Nakagawa, K.: *see* Konaka, T., 462
Nakamura, K.: *see* Mizuno, T., 853
Nakagawa, K.: *see* Takeuchi, Y., 1929
Napolitano, Roberto,: *see* De Rosa, Claudio, 2039
Narkis, M., Sibony-Chaouat, S., Siegmann, A., Shkolnik, S. and Bell, J. P.: Irradiation effects on polycaprolactone, 50
Narkis, M., Talmon, Y. and Silverstein, M.: Properties and structure of elastomeric two-stage emulsion interpenetrating networks, 1359
Nash, P. J. and King, T. A.: Evaluation of internal dynamics in linear macromolecules, 1003
Ngai, K. L.: *see* McKenna, G. B., 1651
Nield, E.: *see* Devaux, J., 1994
Ning, Y.-P.: *see* Mark, J. E., 2069
Nishioka, Shinya,: *see* Shiomi, Tomoo, 429
Nishizima, Ryoji, Tsujita, Yoshiharu and Takizawa, Akira,: Helix sense of copoly(ethyl-L-asparate-benzyl-L-asparate), 379
Nocentini, M.: *see* Barbucci, R., 1353
Noether, Herman,: *see* Adar, Fran, 1935
Northolt, M. G. and Hout, R. v. d.,: Elastic extension of an oriented crystalline fibre, 310
Norton, D. R. and Keller, A.: The spherulitic and lamellar morphology of melt-crystalized isotactic polypropylene, 704

Novakov, P.: *see* Pavlova, M., 1901
Nowik, I.: *see* Bauminger, E. R., 1829

Ochi, Mitsukazu; Lesako, Hiroshi and Shimbo, Masaki,: Mechanical relaxation mechansim of epoxide resins cured with diamines, 457
Odell, J. A., Keller, A. and Miles, M. J.: Assessment of molecular connectedness in semi-dilute polymer solutions by elongational flow, 1219
Ofer, S.: *see* Bauminger, E. R., 1829
Oikawa, Hidetoshi,: *see* Suzuki, Akihiro, 97
Oikawa, Hidetoshi,: *see* Suzuki, Akihiro, 247
Okano, Yoshimichi,: *see* Masuda, Toshio, 793
Okuda, K.: *see* Mizuno, T., 853
Olcak, D., Msrin, J., Uhrin, J., Rakos, M. and Schenk, W.: N.m.r. studies of molecular motion in modified polypropylene, 1455
Olofson, R. A.: *see* Kassir, Fathi, 443
Ong, E. L.: *see* Choy, C. L., 884
Oprea, Cleopatra Vasiliu and Popa, Marcel,: Polymerization of methyl methacrylate with mechanochemically synthesized macroinitiators, 452
Ottino, J. M.: *see* Sax, J. E., 1073
Ottino, J. M.: *see* Shah, N., 1239
Owen, A. J. and Bonart, R.: Cooperative relaxation processes in polymers, 1034

Paci, M: *see* Delfini, M., 1459
Paci, Maurizio and Campana, Francesco,: Unsaturated polyester–styrene resins: Effect of the catalyst concentration on the kinetic rate and activation energy of the radical crosslinking reactions, 1885
Packer, K. J.: *see* Cudby, M. E. A., 169
Padden, Jr, F. J.: *see* Lovinger, Andrew J., 1595
Padmanaban, M.: *see* Bajaj, P., 391
Pakula, T. and Trznadel, M.: Thermally stimulated shrinkage forces in oriented polymers: 1. Temperature dependence, 1011
Pakula, T.: *see* Trznadel, M., 1019
Papaspyrides, C. D.: *see* Kampouris, E. M., 413
Pape, H. E.: *see* Engeln, I., 364
Park, Ho-Jin; Lenz, Robert W. and Jin, Jung-Il,: Liquid crystal polymers: 19. Cholesteric main chain polyesters with triad aromatic ester mesogenic units and chiral polyakylene spacers, 1301
Partridge, Ivana K.: *see* Bucknall, 109
Pastor, J. M.: *see* Merino, J. C., 383
Paul, D. R.: *see* Woo, E. M., 763
Paul, D. R.: *see* Maeda, Y., 2055
Pavlova, M., Dragonova, M. and Novakov, P.: Hydrolytic stability and protective properties of polyurethane oligomers based on polyester/ether/polyols, 1901
Pedemonte, E., Leva, M., Gattiglia, E. and Turturro, A.: Melting and crystallization behaviour of elastoplastic semicrystalline copolymers: poly(ether ester), 1202
Peemoeller, H. and Sharp, A. R.: N.m.r. study of cellulose–water systems: Water proton spin-lattice relaxation in the rotating reference frame, 859
Peiffer, D. G. and Lundberg, R. D.: Synthesis and viscometric properties of low charge density ampholytic ionomers, 1058
Pennings, A. J.: *see* Gogolewski, S, 1394
Peppas, Nikolaos A.: *see* Smith, Michelle, J., 569
Pethrick, R. A.: *see* Baker, F. S., 1227
Phillips, P. J. and Tseng, H. T.: The setting angle of extended chain linear polyethylene, 650
Picot, C.: *see* Koberstein, Jeffrey T., 673
Picot, C.: *see* Lefebvre, J. M., 1807
Pilati, F., Munari, A., Manaresi, P. and Bonora, V.: Models for the formation of poly(butylene terephthalate): effect of water on the kinetics of the titanium tetrabutylate-catalysed reactions: 3., 1745
Pirozzi, Beniamino,: *see* De Rosa, Claudio, 2039
Pislewski, N.: *see* Jurkiewicz, A., 557
Pivcova, H. and Saudek, V.: ^{13}C n.m.r. relaxation study of poly(aspartic acid), 667
Plazek, D. J.: *see* McKenna, G. B., 1651
Pochan, J. M.: *see* Gerenser, L. J., 1162
Popa, Marcel,: *see* Oprea, Cleopatra Vasiliu, 452
Porter, Roger S.: *see* Wade Adams, W., 17
Porzio, William,: *see* Bolognesi, Alberto, 1628
Prabhat, K. and Donovan, J. A.: Tearing instability in polypropylene, 1963
Pritchard, P. G.: *see* Mallik, R. R., 551
Privett, G.: *see* Baker, F. S., 1227
Pruckmayr, Gerfried,: *see* Miller, John A., 1915
Pyszora, H.: *see* Fawcett, Allan H., 1369

Qian, Renyuan,: *see* Ying, Qicong, 1401
Quach, L.: *see* Salamone, J. C., 1234
Quivoron, C.: *see* Capillon, J., 575

Radhakrishnan, Ganga,: *see* George, Anne, 1064
Rakos, M.: *see* Olcak, D., 1455
Ramana Rao, G., Castiglioni, C., Gussoni, M., Zerbi, G. and Martuscelli, E.: Probing the structure of polymer blends by vibrational spectroscopy: the case of poly(ethylene oxide) and poly(methyl methacrylate) blends, 811
Ranucci, E.: *see* Aglietto, M., 1191
Reghunadhan Nair, C. P.: *see* Devadoss, E., 1895
Remilland, B. and Brisse, F.: Poly(1,4-*trans*-cyclohexanediyldimethylene adipate): Polymorphism and the structure of form I, using X-ray diffraction, 1029
Reneker, D. H. and Mazur, J.: Modelling of chain twist boundaries in poly(vinylidene fluoride) as a mechanism for ferroelectric polarization, 821
Ribas, S. Montserrat,: *see* Vilanova, P. Colomer, 423
Ribes-Greus, Amparo; Gomez-Ribelles, Jose L. and Diaz-Calleja,: Dielectric and mechanical–dynamical studies on poly(cyclohexylmethacrylate), 1849
Ricco, T. and Smith, Thor L.: Rejuvenation and physical ageing of a polycarbonate film subjected to finite tensile strains, 1979
Richards, R. W.: *see* Davidson, N. S., 1643
Rinaudo, M.: *see* Lambert, F., 1549
Riva, F.: *see* Martuscelli, E., 270
Roby, C.: *see* Cohen-Addad, J. P., 1231
Rodriguez, E. L.: *see* Salamone, J. C., 1234
Rodriguez, F.: *see* Cooper, W. J., 1069
Roerdink, E. and Warnier, J. M. M.: Preparation and properties of high molar mass nylon-4,6: a new development in nylon polymers, 1582
Rogovina, L. Z.: *see* Vasiliev, V. C., 1667
Roovers, J.: *see* Hadjichristidis, N., 1087
Roovers, J.: Properties of the plateau zone of star-branched polybutadienes and polystyrenes, 1091
Rossi, Enrico,: Stereochemical composition–properties relationships in isotactic polypropylenes obtained with different catalyst systems, 259
Rossler, E., Sillescu, H. and Spiess, H. W.: Deuteron n.m.r. in relation to the glass transition in polymers, 203
Ross-Murphy, S. B.- *see* McEvoy, H., 1483
Ross-Murphy, S. B.: *see* McEvoy, H., 1493
Rostami, S.: *see* Walsh, D. J., 418
Roth, W. C.: *see* Mark, J. E., 2069
Ruggeri, G.: *see* Aglietto, M., 1191
Ruggeri, G.: *see* Delfini, M., 1459
Russel, William B.: *see* Durning, Christopher J., 119
Russel, William B.: *see* Durning, Christopher J., 131
Rymden, R.: *see* Carlfors, J., 940

Sage, Daniel,: *see* Boiteux-Steffan, Gisele, 1443
Sagoo, P. S.: *see* Barrie, J. A., 1167
Sakamoto, N.: *see* Arichi, S., 1175
Salajka, Z.: *see* Kucera, M., 1575
Salajka, Z.: *see* Kucera, M., 1733
Salamone, J. C., Rodriguez, E. L., Lin, K. C., Quach, L., Watterson, A. C. and Ahmed, I.: Aqueous salt absorption by ampholytic polysaccharides, 1234
Samulski, Edward T.: Investigations of polymer chains in oriented fluid phases with deuterium nuclear magnetic resonance, 177
Sanetra, R., Kolarz, B. N. and Wlochowicz, A.: Determination of the glass transition temperature of poly(styrene-co-divinylbenzene) by inverse gas chromatography, 1181
Sarazin, D.: *see* Fanconi, B., 219
Sarazin, D.: *see* Duval, Michel, 397
Sarazin, D.: *see* Kanda, A., 406
Sardharwalla, I. and Lawton, J. B.: Calorimetric determination of the enthalpy change for the binding of methyl orange to poly(vinylpyrrolidone) in aqueous solution, 751
Sasuga, Tsuneo and Hagiwara, Miyuki,: Molecular motions of non-crystalline poly(aryl ether-ether-ketone) PEEK and influence of electron beam irradiation, 501
Sasuga, T., Hayakawa, N., Yoshida, K. and Hagiwara, M.: Degradation in tensile properties of aromatic polymers by electron beam irradiation, 1039
Sato, Hisaya,: *see* Ando, Isao, 1864
Sauberlich, Ralph,: *see* Hauptmann, Peter, 1741
Saudek, V.: *see* Pivcova, H., 667
Sauer, J. A.: *see* Chen, C. C., 89
Sauer, J. A.: *see* Shen, J., 511
Sauviat, M.: *see* Cohen-Addad, J. P., 1231
Sax, J. E. and Ottino, J. M.: Influence of morphology on the transport properties of polystyrene/polybutadiene blends. 1. Experimental studies, 1073
Sax, J. E.: *see* Shah, N., 1239
Scandola, M. and Ceccorulli, G.: Viscoelastic properties of cellulose derivatives: 1. Cellulose acetate, 1953
Scandola, M. and Ceccorulli, G.: Viscoelastic properties of cellulose derivatives: 2. Effect of diethylphthalate on the dynamic mechanical relaxation of cellulose acetate, 1958
Schenk, W.: *see* Olcak, D., 1455
Schmidt, V. H.: *see* Legrand, J. F., 1683
Schnabel, W.: *see* Sumiyoshi, T., 141
Schneider, B., Doskocilova, D. and Dybal, J.: Motional restrictions and chain conformation in various swollen

crosslinked polystyrene gels from ^1H n.m.r. line-shape analysis, 253
Schneider, N. S.: *see* Bengtson, B., 895
Schneider, N. S.: *see* Fu, B., 889
Schofield, E.: *see* Bamford, C. H., 945
Schriever, R., Franke, H., Festl, H. G. and Kratzig, E.: Optical waveguiding in doped poly(methyl methacrylate), 1423
Schroder, U.: *see* Mutschler, H., 935
Schroeder, J. A., Karasz, F. E. and MacKnight, W. J.: Stereoregular poly(alkyl methacrylate)s: polymer–polymer and copolymer–polymer blends, 1795
Schue, F.: *see* Aldissi, M., 1096
Schuele, P. J.: *see* Legrand, J. F., 1683
Schwartz, A.: *see* Turner, D. T., 757
Schwier, C. E., Argon, A. S. and Cohen, R. E.: Crazing in polystyrene–polybutadiene diblock copolymers containing cylindrical polybutadiene domains, 1985
Sefcik, Michael D., Yuen, Henry K. and Chan, David D.: Isosteric Heat of sorption of CO_2 in poly(ethylene terephthalate), 2043
Sefton, M. S. and Coles, H. J.: A study of the static and dynamic properties of side-chain liquid crystalline polymers in low molar mass mesogens, 1319
Segre, Anna Laura,: *see* Martuscelli, Ezio, 259
Sellitti, C.: *see* Martuscelli, E., 270
Semlyen, J. A.: *see* Granick, S., 925
Semlyen, J. A.: *see* Clarson, S. J., 930
Seytre, Gerard,: *see* Boiteux-Steffan, Gisele, 1448
Shah, N., Sax, J. E. and Ottino, J. M.: Influence of morphology on the transport properties of polystyrene/polybutadiene blends: 2. Modelling results, 1239
Shakhshier, I. H.: *see* Hodge, P., 1701
Sharma, Shiromani,: *see* Varma, Indra K., 1561
Sharp, A. R.: *see* Peemoeller, H., 859
Shen, J.: *see* Chen, C. C., 89
Shen, J., Chen, C. C. and Sauer, J. A.: Effects of sorbed water on properties of low and high molecular weight PMMA: 1. Deformation and fracture behaviour, 511
Sherman, Edward S.: *see* Wade Adams, W., 17
Shiedlin, A., Marom, G. and Zikha, A.: Catalytic initiation of polyacrylonitrile stabilization, 417
Shimbo, Masaki,: *see* Ochi, Mitsukazu, 457
Shiomi, Tomoo; Nishioka, Shinya; Tezuka, Yasuyuki and Imai, Kiyokazu,: Surface free energy of poly(vinyl alcohol) modified with alkyl groups, 429
Shiono, Takeshi,: *see* Soga, Kazuo, 1888
Shiono, Takeshi,: *see* Soga, Kazuo, 1891
Shkolnik, S.: *see* Narkis, M., 50
Sibony-Chaouat, S.: *see* Narkis, M., 50
Siegmann, A.: *see* Narkis, M., 50
Siegmann, A., Dagan, A. and Kenig, S.: Polyblends containing a liquid crystalline polymer, 1325
Sillescu, H.: *see* Rossler, E., 203
Silverstein, M.: *see* Narkis, M., 1359
Silvestre, C.: *see* Martuscelli, E., 270
Simon, R.: *see* Coles, H. J., 1801
Simonazzi, Tonino,: *see* Martuscelli, Ezio, 259
Sinha, H. C.: *see* Talwar, I. M., 1025
Slonimsky, G. L.: *see* Vasiliev, V. C., 1667
Smid, J.: *see* Altena, F. W., 1531
Smith, Michelle J. and Peppas, Nikolaos A.: Effect of the degree of crosslinking on penetrant transport in polystyrene, 569
Smith, Paul,: *see* Matheson, Robert R., 288
Smith, P.: *see* English, A. D., 1523
Smith, P. W. R.: *see* Cudby, M. E. A., 169
Smith, Thor L.: *see* Ricco, T., 1979
Smolders, C. A.: *see* Altena, F. W., 1531
Smolders, C. A.: *see* Wijmans, J. G., 1539
Smolders, Cees A.: *see* Gebben, Bert, 1737
Soga, Kazuo; Chen Shian-Ing; Shiono, Takeshi; Doi, Yoshiharu,: Homo- and copolymerization of ethylene and propylene with a soluble chromium catalyst, 1888
Soga, Kazuo; Chen, Sian-Ing; Shiono, Takeshi and Doi, Yoshiharu,: Preparation of highly active Cr-catalysts for ethylene polymerization, 1891
Sorita, Tetsushi,: *see* Ando, Isao, 1864
Soulie, Jean-Pierre,: *see* Boiteux-Steffan, Gisele, 1443
Speckhard, T. A., Gibson, P. E., Cooper, S. L., Chang, V. S. C. and Kennedy, J. P.: Properties of polyisobutylene polyurethane block copolymers: 2. Macroglycols produced by the 'inifer' technique, 55
Speckhard, T. A., Hwang, K. K. S., Cooper, S. L., Chang, V. S. C. and Kennedy, J. P.: Properties of polyisobutylene polyurethane block copolymers: 3. Hard segments based on 4,4'dicyclohexylmethane diisocyanate (H_{12}MDI) and butane diol, 70
Spells, Stephen J.: Polyethylene mixed crystal infra-red spectroscopy: The influence of matrix isotopic species on guest conformation, 1921
Spiess, H. W.: *see* Rossler, E., 203
Srinivasan, R. and Lazare, Sylvain,: Modification of polymer surfaces by far-ultra-violet radiation of low and high (laser) inteisities, 1297
Srivastava, A. P.: *see* Talwar, I. M., 1025
Staikos, George and Dondos, Anastasios,: Study on polymer solutions in solvent mixtures in the vicinity of the critical point of the solvents: 4. Saturation phenomena, 293
Straube, E.: The θ-behaviour of heterogeneous macromolecules, 105
Straube, E.: *see* Fleischer, G., 241
Straube, E.: *see* Berger, H.-R., 1212
Strazielle, C.: *see* Devaux, J., 1994
Stupp, S. I. and Martin, P. G.: Crystallization in electric fields of a semiflexible copolymer: *p*-hydroxybenzoate/ethylene terephthalate, 682
Sturm, J.: *see* Dayantis, J., 1631
Sumiyoshi, T., Schnable, W., Henne, A. and Lechtken, P.: On the photolysis of acylphosphine oxides: 1. Laser flash Photolysis studies with 2,3,6-trimethylbenzoylidiphenylphosphine oxide, 141
Sun, D. K.: *see* Sun, S. F., 1172
Sun, S. F., Sun, D. K. and Liu, S.: Unperturbed dimensions and the *g* factor of a star-shaped polystyrene, 1172
Suzuki, Akihiro, Oikawa, Hidetoshi and Murakami, Kenkichi,: Temperature dependence of birefringence for stained natural rubber vulcanizates, 97
Suzuki, Akihiro; Oikawa, Hidetoshi; Murakami, Kenkichi,: Temperature dependence of birefringence for strained natural rubber vulcanizates at strained state, 247
Suzuki, Hidematsu,: *see* Grebowicz, Janusz, 561
Svanson, S. E.: *see* Gevert, T. U., 307

Takahara, A., Tashita, J., Kajiyama, T., Takayanagi, M. and MacKnight, W. J.: Microphase separated structure and blood compatibility of segmented poly(urethaneureas) with different diamines in the hard segment, 978
Takahara, A., Tashita, J., Kajiyama, T., Takayanagi, M. and MacKnight, W. J.: Microphase separated structure, surface composition and blood-compatibility of segmented poly(urethaneureas) with various soft segment components, 987
Takayanagi, M.: *see* Takahara, A., 978
Takayanagi, M.: *see* Takahara, A., 987
Takeuchi, Y., Nakagawa, K. and Yamamoto, F.: Morphological changes of wide polyoxymethylene rod during a micro-wave heating drawing process, 1929
Takizawa, Akira,: *see* Nishizima, Ryoji, 379
Takizawa, Akira,: *see* Kusakawa, Mitsugu, 848
Talmon, Y.: *see* Narkis, M., 1359
Talwar, I. M., Srivastava, A. P. and Sinha, H. C.: Photo-electret studies of pure and doped polystyrene films, 1025
Tamura, Kazutaka,: *see* Masuda, Toshio, 793
Tan, Choo Eng,: *see* Wah Chau, C., 1268
Tang, M.-Y.: *see* Mark, J. E., 2069
Tan, Y. Y.: *see* Alberda van Ekenstein, G. O. R., 283
Tartakovskaya, L. M.: *see* Babchinitser, T. M., 1527
Tashita, J.: *see* Takahara, A., 978
Tashita, J.: *see* Takahara, A., 987
Taylor, M. A.: *see* Hendra, P. J., 1501
Tekely, P., Laupretre, F., Monnerie, L.: Local composition heterogeneities occurring during crystallization in PVF_2/PMMA blends as studied by high-resolution solid state ^{13}C n.m.r., 1081
Tempesti, F.: *see* Barbucci, R., 1349
ten Brinke, G.: *see* Vorenkamp, E. J., 1725
Tezuka, Yasuyuki,: *see* Shiomi, Tomoo, 429
Thomas, E. L.: *see* Briber, R. M., 8
Thomas, Edwin L.: *see* Wade Adams, W., 17
Thomas, E. L.: *see* Grimm, H. J., 27
Thomas, E. L.: *see* Grimm, H. J., 38
Thorpe, F. Gordon,: *see* Al-Kadhumi, Ahmed A. H., 1695
Tirrell, M.: *see* Camargo, R. E., 1145
Tomlins, P. E. and Higgins, J. S.: Molecular conformation and interactions in oligomeric mixtures of polystyrene with polybutadiene: a small-angle neutron scattering study, 1554
Tomlins, P. E.: *see* Hill, R. G., 1708
Tonelli, A. E.: *see* Bowmer, T. N., 1195
Topic, M. and Katovic, Z.: Depolarization current in phenol–formaldehyde resin below the glass transition, 1141
Townend, D. J. and Warren, R. C.: Relaxations in double base propellants, 79
Treloar, L. R. G.: *see* Mohsin, M. A., 1463
Tritt-Goc, J.: *see* Jurkiewicz, A., 557
Trzebicka, B. and Turska, E.: Study of the molecular mobility in swollen poly(epichlorohydrin): 1. Nonpolar swelling agent, 387
Trznadel, M.: *see* Pakula, T., 1011
Trznadel, M., Pakula, T. and Kryszewski, M.: Thermally stimulated shrinkage forces in oriented polymers: 2. Time dependence, 1019
Tseng, H. T.: *see* Phillips, P. J., 650
Tsitsilianis, Constantinos and Dondos, Anastasios,: Transition phenomena of polymers in mixed solvents in the vicinity of theta conditions: Effect of preferential adsorption, 1838
Tsujita, Yoshiharu,: *see* Nishizima, Ryoji, 379

Tsujita, Yoshiharu,: *see* Kusakawa, Mitsugu, 848
Turner, D. T. and Schwartz, A.: The glass transition temperature of poly(*N*-vinyl pyrrolidone) by differential scanning calorimetry, 757
Turska, E.: *see* Trzebicka, B., 387
Turturro, A.: *see* Pedemonte, E., 1202

Uhrin, J.: *see* Olcak, D., 1455
Ungar, G.: *see* Vaughan, A. S., 726
Unwin, A. P., Bower, D. I. and Ward, I. M.: The determination of molecular orientation in oriented polypropylene by wide-angle X-ray diffraction, polarized fluorescence and refractive index measurements, 1605

Valot, Henri,: *see* Jullien, Henri, 506
Vallet, Georges,: *see* Boiteux-Steffan, Gisele, 1448
van den Berg, Hans W. A.: *see* Gebben, Bert, 1737
Van den Berg, J. W. A.: *see* Altena, F. W., 1531
Varma, Indra K. and Sharma, Shiromani,: Curing of bismaleimides: 3. Effect of structure on thermal behaviour of bis(amide-maleimide), 561
Varnell, D. F.: *see* Moskala, E. J., 228
Vasilenko, N. G.: *see* Babchinitser, T. M., 1527
Vasiliev, V. C., Rogovina, L. Z. and Slonimsky, G. L.: Dependence of properties of swollen and dry polymer networks on the conditions of their formation in solution, 1667
Vaughan, A. S.: *see* Bassett, D. C., 717
Vaughan, A. S., Bassett, D. C., Ungar, G. and Keller, A.: On hexagonal phases of paraffins and polyethylenes, 726
Veksli, Z.: *see* Andreis, M., 1099
Venkatesh, G. M., Gilbert, R. D. and Fornes, R. E.: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and ethylene vinyl ester/alcohol copolymer, 45
Verdu, J.: *see* Morel, E., 1719
Vilanova, P. Colomer; Ribas, S. Montserrat and Guzman, G. Martin,: Isothermal crystallization of poly(ethylene terephthalate) of low molecular weight by differential scanning calorimetry: 1. Crystallization kinetics, 423
Viney, C., Donald, A. M. and Windle, A. H.: Molecular correlations in sheared thermotropic copolyesters showing banded textures, 870
Visser, A. J. W. G.: *see* Bootsma, J. P. C., 951
Vofsi, David,: *see* Yie-Shun, Chiu, 786
Vogl, O.: *see* Kawaguchi, H., 1257
Vogl, O.: Albertsson, Ann Christine and Janovic, Zvonimir,: New developments in speciality polymers: polymeric stabilizers, 1288
Vorenkamp, E. J., ten Brinke, G., Meijer, J. G., Jager, H. and Challa, G.: Influence of the tacticity of poly(methyl methacrylate) on the miscibility with poly(vinyl chloride), 1725

Wade Adams, W., Briber, Robert M., Sherman, Edward S., Porter, Roger S. and Thomas, Edwin L.: Microstructure of high modulus solid state extruded polyethylene: 2. X-ray scattering studies of 12, 24 and 36 extrusion draw ratio, 17
Wadi, N. M. A.: *see* Cowie, J. M. G., 1566
Wadi, N. M. A.: *see* Cowie, J. M. G., 1571
Wah Chau, C., Fawcett, A. H., Mulemwa, J. N. and Tan Choo Eng,: Copolymers of acrylonitrile with some furans and their Diels–Alder adducts, 1268
Walkup, C. M.: *see* Happe, J. A., 827
Walsh, D. J. and Rostami, S.: Binodal and spinodal curves: a simulation for various high polymer mixtures, 418
Wang, F. W.: *see* Howell, Barbara F., 433
Wang, F. W. and Lowry, R. E.: Excimer fluorescence technique for study of polymer segment mobility: applications to pyrene labelled poly(methyl methacrylate) and poly(methyl acrylate) in solution, 1046
Wang, F. W., Lowry, Robert E. and Wu, En-Shinn,: Self-diffusion in concentrated polystyrene solutions measured by fluorescence recovery after photobleaching, 1654
Wang, F. W., Lowry, R. E. and Cavanagh, R. R.: Picosecond excimer fluorescence spectroscopy: applications to local motions of polymers and polymerization monitoring, 1657
Ward, I. M.: *see* Clements, J., 208
Ward, I. M.: *see* Unwin, A. P., 1605
Ward, I. M.: *see* Yazdanian, M., 1779
Warnier, J. M. M.: *see* Roerdink, E., 1582
Warren, R. C.: *see* Townend, D. J., 79
Warwicker, J. O.: *see* Harburn, G., 469
Washer, Michel,: Effect of physical ageing on enthalpy relaxation and isothermal contraction in bisphenol A polycarbonate, 1546
Watterson, A. C.: *see* Salamone, J. C., 1234
Weisskopf, K.: Determination of molecular weight averages and molecular weight distribution by g.p.c. and *N*-trifluoroacetylated polyamides, 1187
Wellinghoff, S. T.: *see* Camargo, R. E., 1145
Wendorff, Joachim H.: *see* Hahn, Bernd R., 1611
Wendorff, Joachim H.: *see* Hahn, Bernd R., 1619
Wignall, G. D.: *see* Wu, W., 661
Wijmans, J. G.: *see* Altena, F. W., 1531
Wijmans, J. G., Kant, J., Mulder, M. H. V. and Smolders, C. A.: Phase separation phenomena in solutions of polysulphone in mixtures of a solvent and a non-solvent: relationship with membrane formation, 1539
Wilkes, Garth L.: *see* Joseph, Eugene, 689
Williams, Michael C.: *see* Henderson, Clayton P., 2021
Williams, Michael C.: *see* Henderson, Clayton P., 2026
Williams, Roberto J. J.: *see* Fraga, Alicia N., 113
Willis, H. A.: *see* Akhavan, J., 865
Willis, H. A.: *see* Hendra, P. J., 1501
Windle, A. H.: *see* Viney, C., 870
Windle, A. H.: *see* Mitchell, G. R., 1755
Wineman, A.: *see* Zapas, L. J., 1105
Wiswe, D.: *see* Wu, W., 655
Wlochowicz, A.: *see* Senetra, R., 1181
Woo, E. M., Barlow, J. W. and Paul, D. R.: Thermodynamics of the phase behaviour of poly(vinyl chloride)/aliphatic polyester blends, 763
Wooden, Gary P.: *see* Kassir, Fathi, 443
Wright, J.: *see* Cunliffe, A. V., 301
Wu, Chi,: *see* Chi, Benjamin, 1408
Wu, En-Shinn,: *see* Wang, Francis W., 1654
Wu, Souheng,: Phase structure and adhesion in polymer blends: A criterion for rubber toughening, 1855
Wu, W., Wiswe, D., Zachmann, H. G. and Huhn, K.: Small-angle neutron scattering of partially segregated amorphous poly(ethylene terephthalate), 655
Wu, W. and Wignall, G. D.: Small-angle neutron scattering of partially segregated blends of polyethylene and deuteropolyethylene, 661
Wunderlich, Bernhard,: *see* Grebowicz, Janusz, 561
Wunderlich, Bernhard,: *see* Loufakis, Kyriakos, 1875

Xu, Choachou,: *see* Ying, Qicong, 1401

Yamakawa, S.: *see* Nakagawa, K., 84
Yamakawa, S.: *see* Konaka, T., 462
Yamamoto, F.: *see* Takeuchi, Y., 1929
Yamanobe, Takeshi,: *see* Ando, Isao, 1864
Yarusso, D. J. and Cooper, S. L.: Analysis of SAXS data from ionomer systems, 371
Yazanian, M., Ward, I. M. and Brody, H.: An infra-red study of the structure of oriented poly(ethylene terephthalate) fibres, 1779
Yeh, Po-Len, Birley, A. W. and Hemsley, D. A.: The structure of propylene–ethylene sequential copolymers, 1155
Yie-Shun, Chiu; Jagur-Grodzinski, Joseph and Vofsi, David,: Heterogeneous fluorination of chlorine containing polymers with 18-crown-6 as phase transfer agent, 786
Ying, Qicong; Chu, Benjamin; Qian, Renyuan; Bao, Jingsheng; Zhang, Jiyu and Xu, Choachou,: Characterization of poly(1,4-phenyleneterephthalamide) in concentrated sulphuric acid: 1. Static and dynamic properties, 1401
Ying, Qicong,: *see* Chu, Benjamin, 1408
Yip, Daniel C. F.: *see* Al-Issa, Mahmoud A., 1869
Yoshida, K.: *see* Sasuga, T., 1039
Yoshida, M.: *see* Arichi, S., 1175
Young, David A.: Rotation of methyl groups in molecular solids and polymers at low temperatures: recent developments, 355
Young, R. N.: *see* Milner, R., 1265
Yu, Tongyin,: *see* Jiang, Ming, 1689
Yuen, Henry K.: *see* Sefcik, Michael D., 2043

Zachmann, H. G.: *see* Wu, W., 655
Zapas, Louis J.: *see* McKenna, Gregory, B., 543
Zapas, L. J. and Wineman, A.: Superposition of small deformations on large uniaxial extensions for viscoelastic materials, 1105
Zerbi, G.: *see* Ramana Rao, G., 811
Zhang, Jiyu,: *see* Ying, Qicong, 1401
Zhdanov, A. A.: *see* Babchinitser, T. M., 1527
Zikha, A.: *see* Shiedlin, A., 447